NASA Small Business Innovative Research (SBIR) Subtopic S2.04

"X-Ray Mirror Systems Technology, Coating Technology: X-Ray, Ultraviolet (UV), Optical and Infrared (IR), and Free-Form Optics"

Ron S. Shiri, GSFC, Sub-Topic Manager Participating Managers from MSFC and JPL

November, 2017



Outline

- Overview of NASA / GSFC Optics Branch
- SBIR Topic: S2. Advanced Telescope Systems
- SBIR Subtopic: S2.04
 - X-Ray Mirror Systems Technology
 - Optical Coatings from X-Ray, Extreme UV (EUV) to Optical and IR
 - Free-Form Optics Design, Manufacturing and Metrology




Goddard Optics Branch, Code 551

- Alignment, Integration & Test
- Fabrication
- Design
- Components
- Wavefront Sensing & Control




Alignment, Integration & Test





JWST Telescope entering the cryo chamber at Johnson Space Center in preparation of Optical Telescope Element/Integrated Science Instrument Module (OTIS) testing


Alignment, Integration & Test






Global Ecosystem Dynamic Investigation (GEDI) RTA (Receiver Telescope Assembly) installed on the GEDI flight optical bench (9/20) followed by installation in the GEDI Turnover Dolly (9/25)

Alignment, Integration & Test (Continue)




Ocean Color Instrument (OCI) optical Brassboard testing





Full telescope and visible system testing July 2017



Fabrication







The two-meter coating chamber where the thin films onto telescope mirrors as large as one meter in diameter are applied



Design




Chamber to perform interferometric testing of grism prototype under 150K



Interferometric ambient testing of the grism prototype for Wide Field Infrared Space Telescope (WFIRST)




Design (Continued)





Origins-Spectral Interpretation-Resource Identification Security-Regolith Explorer (OSIRIS-Rex) reflectance spectrum 0.5-2 um and image taken by MapCam instrument

Design (Continued)



Wide Field Infrared Space Telescope (WFIRST) primary mirror 2.4 m



WFIRST secondary mirror



Freeform optics

Large UV/Optical/Infrared Surveyor (LUVOIR) Instruments

- LUVOIR Ultraviolet Multi Object Spectrograph (LUMOS)
 - Fewer mirrors
 - Throughput is limited by the AI coating reflectivity in the UV
 - Improve image quality in UV
 - Reduce volume for limited instrument package
- 2. Coronagraph
 - Correct aberrated off-axis field from telescope
- 3. High Definition imager (HDI)
 - Correct wide field of view
 - Improve image quality in UV and VIS
 - Reduce volume and mass







Components




Bruker Spectrometer: Fourier Transform Spectrometer (FTS), 1000-10000 nm (Res. < 0.05 nm), Photometric accuracy (3-4A)



Perkin Elmer Spectrometer (950): Transmittance > 200-3000 nm spectral range (Spectral resolution 0.25 nm), Photometric accuracy (8A units)



Wavefront Sensing and Control



Phase retrieval on Half-pass test of Near-Infrared Camera (NIRCam) during JWST OTIS testing



SBIR Subtopic S2.04

- X-Ray Mirror Systems and Components Technology
- Optical Coatings from X-Ray, EUV to Optical and IR
- Free-Form Optics Manufacturing and Metrology



X-Ray Mirror Systems Technology

- Optical Components, systems, and instrument for X-Ray missions
- Light-weight, low-cost, ultra-stable mirrors for large X-Ray observatories
- Stray-light suppression systems (baffles) for large advanced X-Ray observatories
- Horizon: 1 to 3 years, mature the technology in advance of decadal 2020 proposal call
- State of Art: costly and time consuming to produce X-Ray mirrors. Require improvement to about 0.5-1.0 arc-seconds of angular resolution
- The current stray light suppression is bulky and ineffective for wide-field of view telescopes. We seek significant reduction in both expense and time
- Importance: Very-high value, critical need where no feasible competitor and only government is the major player in this technology



Subtopic:	(S2.04, X-Ray Mirror Systems Technology, Coating Technology for X-Ray-UV-OIR, and Free-Form Optics)		
Manager:	(Ron Shiri / GSFC, Kunjithapatham Balasubramanian / JPL, Philip Stahl / MSFC, David Broadway/ MSFC)		
Center(s):	(GSFC, JPL, MSFC)		
Optical Components, Systems, and Stray Light Suppression for X-Ray Missions -Light-weight, low-cost, ultra- stable mirrors for large X-Ray observatory -Epoxies to bond silicon mirrors to absorb IR radiation between 1.5 to 6 microns that traverses silicon with little or no absorption and cured quickly - Stray light suppression systems (baffles) for large advanced X- Ray observatories -Ultra-stable low-cost light-weight X-Ray telescope using grazing- incidence optics for high altitude balloon-borne and rocket-borne mission		Science Traceability	The 2010 National Academy Decadal Report specifically identifies optical components and the ability to manufacture and perform precise metrology on them needed to enable several different future missions (LYNX) The NRC NASA Technology Roadmap Assessment ranked advanced
			mirror technology for new x-ray telescopes as the #1 Object C technology requiring NASA investment.
		Need Horizon	1 to 3 years, Need to mature technology in advance of proposal Decadal 2020
		State of Art	It's very costly and time consuming to produce X-Ray mirrors. Most of SOA requiring improvement is 0.5-1.0 arc-seconds angular resolution. SOA stray light suppression is balky and ineffective for wide-field of view telescopes. We seek significant reduction in both expense and time. Reduce the areal cost of telescope by 2X such that the larger collecting area can be produced for the same cost or half the cost.
		Importance	Very high – Critical need, no feasible competitors. X-Ray mirror technology is inherently in government. There is no commercial application.



Coating Technology: X-Ray, Extreme UV to Visible and IR

- Metrics for X-Ray:
 - Multilayer high-reflectance coatings for hard X-Ray mirrors
 - Multilayer depth gradient coatings for 5 to 80 keV with high broadband reflectivity
 - Zero-net stress coating of iridium or other high reflectance elements on thin substrates (< 0.5 mm)
- Metric for EUV:
 - Reflectivity greater than 90% from 6 nm to 200 nm and depositable onto < 2 meter mirror substrate
- Metric for UVOIR:
 - Broadband reflectivity greater than 60% and uniform polarization from 90 nm to 2500 nm and depositable onto 2, 4, and 8 meter mirror substrate
- Non-Stationary Optical Coating:
 - Used in both reflection transmission that vary with location on the optical surface. The variation refers to ratio of reflectivity transmissivity, optical field amplitude, phase, and polarization change.
 - The optical surface range of diameter is 0.5 cm to 6 cm that could either be flat, conic or free-form



Coating Technology: X-Ray, Extreme UV to Visible and IR (Continued)

- Horizon: 1 to 3 years, mature the technology in advance of decadal 2020 proposal call
- State of Art: costly and time consuming to produce X-Ray mirrors. Require improvement to about 10 arc-seconds of angular resolution
- The current stray light suppression is balky and ineffective for wide-field of view telescopes. We seek significant reduction in both expense and time
- **Importance:** Very-high value, critical need where no feasible competitor and only government is the major player in this technology



Subtopic: (S2.04, X-Ray Mirror Systems Technology, Coating Technology for X-Ray-UV-OIR, and Free-Form Optics (Ron Shiri / GSFC, Kunjithapatham Balasubramanian / JPL, Philip Stahl / MSFC, David Broadway/MSFC) Manager: Center(s): (GSFC, JPL, MSFC) Optical Coatings for X-Ray, EUV, Astrophysics Decadal specifically calls for optical coating technology LUV, UV, Visible, and IR Telescopes investment for: Future UV/Optical and Exoplanet missions (HabEX or LUVOIR) Heliophysics 2009 Roadmap identifies optical coating technology - Meet low temperature operation requirement investments for: Origins of Near-Earth Plasma (ONEP); Ion-Neutral Coupling in Metrics for X-Ray: Science the Atmosphere (INCA): Dynamic Geospace Coupling (DGC): Fine-scale - Multilayer high-reflectance coatings for hard Traceabi Advanced Coronal Transition-Region Spectrograph (FACTS); Reconnection and X-Ray mirrors lity Micro-scale (RAM); & Solar-C - Multilayer Depth Gradient Coatings with a Nulling polarimetry/coronagraph for exoplanet imaging and characterization, dust reflective spectral response from 1 to 150 KeV and debris disks, extra-galactic studies and relativistic and non-relativistic jet or higher studies - Near-zero-residual stress single & multilayer 1 to 3 years thin-film coatings on thin substrates (< 0.5 mm) Affordable high-performance optical component system technology needs to achieve TRL-4-5 by approximately 2018 to support the 2020 Astrophysics Metrics for EUV: Need Decadal process. Heliophysics missions need mirror technology sooner. Horizon - Meet temperature requirement, 35 Kelvin Historically, it takes 10 years to mature mirror technology from TRL-3 to 6. - Reflectivity > 90% from 6 nm to 90 nm onto a To achieve these objectives requires sustained systematic investment. < 2 meter mirror substrate 1 to 5 years for CNT coating applications. Metrics for LUVOIR: Current X-Ray is defined by NuSTAR and Chandra - Meet temperature requirement, 35 Kelvin Current EV is defined by Heliophysics (80% reflectivity from 60 to 200 nm) - Broadband Reflectivity > 70% from 90nm-State of 120nm (LUV) and > 90% from 120nm-2.5um Current UVOIR is defined by Hubble. MgFl2 over-coated Aluminum on a 2.4 Art (VUV/Visible/IR). Reflectivity Non-uniformity < meter mirror. This coating has birefringence concerns and a marginally 1% 90nm-2.5um acceptable reflectivity between 100 and 200 nm. - Induced polarization aberration < 1% 400nm-2.5um depositable onto a 1-8m substrate Non-stationary Optical Coatings: - Used in reflection & transmission that vary Very High – optical technology is mission enabling. The technical with location on the optical surface **Importa** capabilities of the optical systems will determine performance and science

nce

Carbon Nanotube (CNT) Coatings:
- Broadband Visible to NIR, Reflectivity of 0.1% or less, adhere to the multi-layer dielectric or protected metal coating

return.



Free-Form Optics: Design, Manufacturing, Metrology

- Freeform Optical Surfaces
 - 0.5 cm to 6 cm diameter optical surfaces (mirrors) with free form optical prescriptions with surface tolerances about 1-2 nm rms
 - Freeform refers to either 2nd order conic prescription with higher order surface polished onto it or without underlying conic prescription but such that is no steps in the surface.
 - The optics with underlying conic prescription would need to be in F/# range of F/2 or F/20
- Metrology of Freeform Optics
 - Component metrology is difficult because of very large departure from the planar or spherical shapes that can be accommodated by conventional interferometric testing
 - New Methods such as multibeam low-coherence optical probe and slope sensitive optical probe are highly desirable
- Horizon: 3 to 5 years
- State of Art: Never been done before
- Importance: Highly desirable, allows efficient, small package, and lower cost that expands operational temperature range in un-obscured system. It allows coronagraphic nulling without shearing and increases the useful science fieldof-view



Subtopic: (S2.04, X-Ray Mirror Systems Technology, Coating Technology for X-Ray-UV-OIR, and Free-Form Optics (Ron Shiri / GSFC, Kunjithapatham Balasubramanian / JPL, Philip Stahl / MSFC, David Broadway/MSFC) Manager: Center(s): (GSFC, JPL, MSFC) NASA missions with alternative low-cost science and small size payload **Free-Form Optical Surfaces** are increasing. However, the traditional interferometric testing as a means -0.5 cm to 6 cm diameter optical of metrology are unsuited to freeform optical surfaces due to changing surfaces (mirrors) with free form curvature and lack of symmetry. Metrology techniques for large fields of Science optical prescriptions with surface view and fast F/#s in small size instruments is highly desirable specifically **Traceability** tolerances are 1-2 nm rms. if they could enable cost-effective manufacturing of these surfaces for -The Optics with large field of constrained imaging systems. (CubeSat, SmallSat, NanoSat, various view and fast F/#s to provide coronagraphic instruments) non-rotationally symmetry. **Need Horizon** 3 to 5 years Optical freeform surfaces enabling additional degrees of Early stages of development. Improve optical surfaces with large field of freedom to reduce volume and view and fast F/#s. Reduce design and fabrication cost of freeform State of Art eliminate traditional design surfaces. constraints on the surface. -Metrology of 'freeform' optical components is difficult. New methods such as multibeam lowcoherence optical probe and High – Highly desirable, allows efficient, small package, and lower cost slope sensitive optical probe are that expands operational temperature range in un-obscured system. Can highly desirable **Importance** allow new coronagraphic instruments that adhere to high-contrast imaging -Optics design, fabrication, and while maintains high throughput. metrology for package constrained imaging systems Integrated SWIR imaging spectrometer



Conclusion

- GSFC has a robust and productive SBIR program in the Optics, with high quality proposals being submitted every year, leading to advances in key Optics Technologies. Companies with successful SBIR efforts have submitted high quality New Technology Reports (NTRs)
- Focus areas,
 - X-Ray Optical Systems, Mirrors, Coating, and Components
 - Optical Coating from X-Ray to UV + Optical + IR
 - Freeform Optics Design, Development, and Metrology

